

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1006	347/37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/11/20 16:30
S3	200	347/37.ccls. and (adjust\$4 alter\$4 chang\$4 regulat\$4) with (height spacing distance)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/11/20 16:44
S4	4	("5359355"   "5924804"   "6003969"   "6092887"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:35
S5	12	("4176363"   "4177471"   "4208139"   "4313124"   "4345262"   "4459600"   "4463359"   "4558333"   "4608577"   "4723129"   "4740796"   "4970534"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:02
S6	5	("6010204").URPN.	USPAT	OR	ON	2007/11/21 10:47
S7	1	("6554398").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 10:47
S8	0	("2002/0126169").URPN.	USPAT	OR	ON	2007/11/21 10:49
S9	83	347/37.ccls. and (adjust\$4 alter\$4 chang\$4 regulat\$4) with (angle incline inclination)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/11/21 10:57
S10	124	347/8.ccls. and cam	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/14 14:08
S11	37	347/8.ccls. and cam and inclin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/14 14:11
S12	5	((("6676240") or ("5914671") or ("6356197") or ("20020175806") or ("6585345"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/14 14:56
S13	161	347/8.ccls. and ((projecting support\$4 jutting) near2 (member unit section) (projection boss))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/16 17:13

S14	78	347/8.ccls. and (inclin\$4 angle degree height gap parallelism) same ((projecting support\$4 jutting) near2 (member unit section) (projection boss))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/16 17:15
S15	78	347/8.ccls. and (inclin\$4 angle degree height gap parallelism parallelization) same ((projecting support \$4 jutting) near2 (member unit section) (projection boss))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/16 17:16
S16	516	400/55.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/17 15:18
S17	375	400/55.ccls. not 400/58,59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/17 15:18
S18	386	400/59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/17 16:11
S19	415	347/49.ccls. and (angle inclination degrees)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/17 16:38
S20	172	347/49.ccls. and (head printhead chip die dice pen) with (angle inclination degrees)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/17 16:38
S21	1429	canon.as. and space with media	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 10:15
S22	7	canon.as. and space with media same resist adj plate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 10:15
S23	7	canon.as. and space with media same resist adj plate and convey\$4 adj belt	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 10:16
S24	3	"347"/\$.ccls. and epson.as. and "position adjusting lever"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 10:20
S25	5	("4776715"   "4990938"   "5000590"   "5359355"   "5880757").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 10:21

S26	13908	(head printhead pen) with (incline inclination)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 10:33
S28	2657	(head printhead pen) with (adjust\$4 chang\$4 alter\$4 modify\$4) with (incline inclination)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 10:33
S29	229	("347"/\$.ccls. "400"/\$.ccls.) and (head printhead pen) with (adjust\$4 chang\$4 alter\$4 modify\$4) with (incline inclination)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 10:34
S30	497	("347"/\$.ccls. "400"/\$.ccls.) and (head printhead pen) with (adjust\$4 chang\$4 alter\$4 modify\$4) with pitch	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 10:55
S31	162	("347"/\$.ccls. "400"/\$.ccls.) and (head printhead pen) with (adjust\$4 chang\$4 alter\$4 modify\$4) near3 pitch	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 10:56
S32	162	("347"/\$.ccls. "400"/\$.ccls.) and (head printhead pen (nozzle orifice) adj (plate surface)) with (adjust\$4 chang\$4 alter\$4 modify\$4) near3 pitch	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 10:56
S33	19	("4500895"   "4771295"   "4877745"   "5278584"   "5305015"   "5449754"   "5474796"   "5658802"   "5700637"   "5755520"   "5958342"   "6155675"   "6155676"   "6183067"   "6221653"   "6242266"   "6248521"   "6290331"   "6568786").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 11:07
S34	7	("4570168"   "4921365"   "4929102"   "5103731"   "5806992"   "6095701"   "6382752").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/18 11:11
S35	1286586	(support\$4) near3 (unit section portion member)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 13:34
S36	11369	"347"/\$.ccls. and (support\$4) near3 (unit section portion member)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 13:35

S37	5015	"347"/\$.ccls. and (head printhead pen cartridge) with (support\$4) near3 (unit section portion member)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 13:35
S38	88	"347"/8.ccls. and (head printhead pen cartridge) with (support\$4) near3 (unit section portion member)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 13:43
S39	117	"347"/8.ccls. and (head printhead pen cartridge) with ((support\$4 project \$4) near3 (unit section portion member) projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 13:43
S40	17	"347"/8.ccls. and (head printhead pen cartridge) with ((support\$4 project \$4) near3 (unit section portion member) projection) same (groove opening) with (carriage carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 13:46
S41	30	347/16.ccls. and feed\$4 with (paper medium) with (reverse opposite) adj direction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 15:17
S42	4	347/37.ccls. and (sidewall wall) with reinforc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 16:04
S43	64	347/37.ccls. and (sidewall wall) with support\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/03/18 16:10

3/19/2008 8:11:32 AM

C:\Documents and Settings\sfdier\My Documents\EAST\Workspaces\Samoto - 10661545 (2).wsp